



TECHNICAL DETAILS


backrest in white nylon, covered with stretch polyester mesh cover appropriately tensioned and height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon backrest/seat connection. Available with medium backrest, with or without headrest.




seat in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding and white polypropylene under-seat cover.

headrest fixed


armrests 1D adjustable: (height 60 mm) in white nylon with black armpads.




synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.




synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



synchronised self-calibrating with 3-position adjustment and seat depth adjustment (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



Right lever adjusts the height of the seat

Left hand lever adjusts seat depth

height adjustment


by gas lift. Allows an excursion of 13 cm.

base

5-star base in white nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 65 mm standard (Ø 50 mm for aluminium base)

ergonomics

Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.



base finishes



mesh

Cat. E

Polo



Cat. N

Spin



Cat. V

Volley FR



fabrics

Cat. B

Bondai



Cat. H

Madrid 3D



Boss FR (eco-leather)



Cat. D


King Flex



Time



Skill (eco-leather)




Cat. F


Step




Chili



Stromboli



Silververtex




Valencia




Jet



Magnum (eco-leather)



Connect




Rivet



Era




Rondo



Cat. G

Focus



Focus Melange





ABACUS

Synchronised lockable in 3 positions

Synchronised lockable in 3 positions with seat depth adjustment



Without armrests.

Without armrests.





1D adjustable armrests.

1D adjustable armrests.




1D adjustable armrests + headrest.

1D adjustable armrests + headrest




Synchronised self-calibrating with 3-position adjustment


Without armrests.



1D adjustable armrests.




1D adjustable armrests + headrest.




Synchronised self-calibrating with 3-position adjustment with seat depth adjustment

Without armrests.



1D adjustable armrests.



1D adjustable armrests + headrest.

